

# CATALOGUE ETRIERS BREMBO



1a



+ + + + **P/N XA6.L6.11/14**  
+ + + + **2 PISTON CALIPER**

**Typical application:** School Cars

**1a** **Mounting information**

Trailing	Leading
LH XA6.L6.11	LH XA6.L6.13
RH XA6.L6.12	RH XA6.L6.14



**Technical Specifications**

Piston Size (mm)	36	Piston Area (cm <sup>2</sup> )	20,35	Mounting Offset (mm)	29,79
		Pad Area (cm <sup>2</sup> )	32	Mounting Hole Dia. (mm)	M10x1,5
		Pad Thickness (mm)	14,6	Caliper Body	2 Pieces
		Pad Family	tbd	Caliper Material	Aluminium
		Disc Thickness (mm)	20	Piston Insert	-
		Disc Diameter (mm)	316	Weight (Kg)	1,42
		Mounting Hole Center (mm)	114	Fluid Capacity	20,56

**P/N XA8.U2.01**  
**2 PISTON CALIPER**

**Typical application:** Various

**Mounting information**

Trailing	Leading
LH XA8.U2.01	LH XA8.U2.01
RH XA8.U2.01	RH XA8.U2.01



**Technical Specifications**

Piston Size (mm)	38	Piston Area (cm <sup>2</sup> )	22,68	Mounting Offset (mm)	28
		Pad Area (cm <sup>2</sup> )	26	Mounting Hole Dia. (mm)	10,23
		Pad Thickness (mm)	15	Caliper Body	Monobloc
		Pad Family	tbd	Caliper Material	Aluminium
		Disc Thickness (mm)	6,4	Piston Insert	steel
		Disc Diameter (mm)	278	Weight (Kg)	0,96
		Mounting Hole Center (mm)	95	Fluid Capacity	20

**P/N XA2.E7.01/04**  
**4 PISTON CALIPER**

**Typical application:** GT

**Mounting information**

Trailing	Leading
LH XA2.E7.01	LH XA2.E7.03
RH XA2.E7.02	RH XA2.E7.04



**Technical Specifications**

Piston Size (mm)	38	Piston Area (cm <sup>2</sup> )	50,39	Mounting Offset (mm)	62
	42	Pad Area (cm <sup>2</sup> )	63	Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	25 - 26,5	Caliper Body	2 Pieces
		Pad Family	B13	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	-
		Disc Diameter (mm)	332 - 355	Weight (Kg)	2,95
		Mounting Hole Center (mm)	130	Fluid Capacity	103,3

+++  
+++  
+++  
+++

**1a**

## P/N XA2.E7.11/14 4 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA2.E7.11	LH XA2.E7.13
RH XA2.E7.12	RH XA2.E7.14



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	32,67	Mounting Offset (mm)	62
	36	Pad Area (cm <sup>2</sup> )	63	Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	25 - 26,5	Caliper Body	2 Pieces
		Pad Family	B13	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	-
		Disc Diameter (mm)	332 - 355	Weight (Kg)	2,95
		Mounting Hole Center (mm)	130	Fluid Capacity	66,97

## P/N XA3.G2.11/14 4 PISTON CALIPER

Typical application: Rally

### Mounting information

Trailing	Leading
LH XA3.G2.11	LH XA3.G2.13
RH XA3.G2.12	RH XA3.G2.14



### Technical Specifications

Piston Size (mm)	26	Piston Area (cm <sup>2</sup> )	24,75	Mounting Offset (mm)	53,5
	30	Pad Area (cm <sup>2</sup> )	38	Mounting Hole Dia. (mm)	10,25
		Pad Thickness (mm)	20	Caliper Body	2 Pieces
		Pad Family	B09	Caliper Material	Aluminium
		Disc Thickness (mm)	24 - 25,4	Piston Insert	Steel
		Disc Diameter (mm)	278 - 313	Weight (Kg)	-
		Mounting Hole Center (mm)	120	Fluid Capacity	50,74

## P/N XA4.10.01/04 4 PISTON CALIPER

Typical application: F3

### Mounting information

Trailing	Leading
LH XA4.10.01	LH XA4.10.03
RH XA4.10.02	RH XA4.10.04



### Technical Specifications

Piston Size (mm)	34	Piston Area (cm <sup>2</sup> )	40,84	Mounting Offset (mm)	40
	38	Pad Area (cm <sup>2</sup> )	36,5	Mounting Hole Dia. (mm)	10
		Pad Thickness (mm)	16	Caliper Body	2 Pieces
		Pad Family	B08	Caliper Material	Aluminium
		Disc Thickness (mm)	16	Piston Insert	-
		Disc Diameter (mm)	278	Weight (Kg)	1,3
		Mounting Hole Center (mm)	120	Fluid Capacity	51,05

+++  
+++  
+++  
+++



+

+

+

+

## P/N XA5.T0.01/04 4 PISTON CALIPER

Typical application: Rally

### 1a Mounting information

Trailing	Leading
LH XA5.T0.01	LH XA5.T0.03
RH XA5.T0.02	RH XA5.T0.04



### Technical Specifications

Piston Size (mm)	38 44	Piston Area (cm <sup>2</sup> )	53,09 60,9	Mounting Offset (mm)	42
		Pad Area (cm <sup>2</sup> )		Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	17,5	Caliper Body	Monobloc
		Pad Family	B18 - B19	Caliper Material	Aluminium
		Disc Thickness (mm)	28 - 30 - 32	Piston Insert	Steel
		Disc Diameter (mm)	300 - 355	Weight (Kg)	2,66
		Mounting Hole Center (mm)	180	Fluid Capacity	95,56

## P/N XA6.H7.11/14 4 PISTON CALIPER

Typical application: Grand AM

### Mounting information

Trailing	Leading
LH XA6.H7.11	LH XA6.H7.13
RH XA6.H7.12	RH XA6.H7.14



### Technical Specifications

Piston Size (mm)	28 36	Piston Area (cm <sup>2</sup> )	32,67 63	Mounting Offset (mm)	62
		Pad Area (cm <sup>2</sup> )		Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	22	Caliper Body	2 Pieces
		Pad Family	B13	Caliper Material	Aluminium
		Disc Thickness (mm)	32	Piston Insert	Steel
		Disc Diameter (mm)	332 - 355	Weight (Kg)	-
		Mounting Hole Center (mm)	130	Fluid Capacity	57,17

## P/N XA6.S0.01/04 4 PISTON CALIPER

Typical application: F3

### Mounting information

Trailing	Leading
LH XA6.S0.01	LH XA6.S0.03
RH XA6.S0.02	RH XA6.S0.04



### Technical Specifications

Piston Size (mm)	30 36	Piston Area (cm <sup>2</sup> )	34,49 36,3	Mounting Offset (mm)	40
		Pad Area (cm <sup>2</sup> )		Mounting Hole Dia. (mm)	10,23
		Pad Thickness (mm)	16	Caliper Body	Monobloc
		Pad Family	B10	Caliper Material	Aluminium
		Disc Thickness (mm)	18	Piston Insert	-
		Disc Diameter (mm)	278	Weight (Kg)	1,21
		Mounting Hole Center (mm)	120	Fluid Capacity	43

+++  
+++  
+++  
+++

**1a**

## P/N XA6.S0.21/24 4 PISTON CALIPER

Typical application: F3 HRB version

### Mounting information

Trailing	Leading
LH XA6.S0.21	LH XA6.S0.23
RH XA6.S0.22	RH XA6.S0.24



### Technical Specifications

Piston Size (mm)	30	Piston Area (cm <sup>2</sup> )	34,49	Mounting Offset (mm)	40
	36	Pad Area (cm <sup>2</sup> )	36,3	Mounting Hole Dia. (mm)	10,23
		Pad Thickness (mm)	16	Caliper Body	Monobloc
		Pad Family	B10	Caliper Material	Aluminium
		Disc Thickness (mm)	18	Piston Insert	-
		Disc Diameter (mm)	278	Weight (Kg)	1,21
		Mounting Hole Center (mm)	120	Fluid Capacity	43

## P/N XA7.G0.11/12 4 PISTON CALIPER

Typical application: Rally

### Mounting information

Trailing	Leading
LH XA7.G0.11	LH XA7.G0.11
RH XA7.G0.12	RH XA7.G0.12



### Technical Specifications

Piston Size (mm)	26	Piston Area (cm <sup>2</sup> )	24,75	Mounting Offset (mm)	30,2
	30	Pad Area (cm <sup>2</sup> )	38	Mounting Hole Dia. (mm)	M12x1,5
		Pad Thickness (mm)	20	Caliper Body	Monobloc
		Pad Family	B09	Caliper Material	Aluminium
		Disc Thickness (mm)	24 - 25,4	Piston Insert	Steel
		Disc Diameter (mm)	295	Weight (Kg)	1,68
		Mounting Hole Center (mm)	146 axial	Fluid Capacity	41

## P/N XA7.G1.53/54 4 PISTON CALIPER

Typical application: Rear GT

### Mounting information

Trailing	Leading
LH XA7.G1.53	
RH XA7.G1.54	



### Technical Specifications

Piston Size (mm)	30	Piston Area (cm <sup>2</sup> )	-	Mounting Offset (mm)	53,5
	34	Pad Area (cm <sup>2</sup> )	38	Mounting Hole Dia. (mm)	-
		Pad Thickness (mm)	20	Caliper Body	Monobloc
		Pad Family	B09	Caliper Material	Aluminium
		Disc Thickness (mm)	24 - 25,4	Piston Insert	Steel
		Disc Diameter (mm)	278 - 313	Weight (Kg)	2,68
		Mounting Hole Center (mm)	120	Fluid Capacity	54

+ + + +

## P/N XA8.30.11/14 4 PISTON CALIPER

Typical application: GT

### 1a Mounting information

Trailing	Leading
LH XA8.30.11	LH XA8.30.13
RH XA8.30.12	RH XA8.30.14



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	32,67	Mounting Offset (mm)	62
	36	Pad Area (cm <sup>2</sup> )	63	Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	26,5	Caliper Body	Monobloc
		Pad Family	B18	Caliper Material	Aluminium
		Disc Thickness (mm)	28 - 32	Piston Insert	-
		Disc Diameter (mm)	332 - 355	Weight (Kg)	2,48
		Mounting Hole Center (mm)	130	Fluid Capacity	58

## P/N XA8.30.51/54 4 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA8.30.51	LH XA8.30.53
RH XA8.30.52	RH XA8.30.54



### Technical Specifications

Piston Size (mm)	36	Piston Area (cm <sup>2</sup> )	45,49	Mounting Offset (mm)	42
	40	Pad Area (cm <sup>2</sup> )	63	Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	26,5	Caliper Body	Monobloc
		Pad Family	B18	Caliper Material	Aluminium
		Disc Thickness (mm)	28 - 32	Piston Insert	-
		Disc Diameter (mm)	332 - 355	Weight (Kg)	2,38
		Mounting Hole Center (mm)	180	Fluid Capacity	58

## P/N XA9.Y6.53/54 4 PISTON CALIPER

Typical application: RALLY

### Mounting information

Trailing	Leading
LH XA9.Y6.53	
RH XA9.Y6.54	



### Technical Specifications

Piston Size (mm)	36	Piston Area (cm <sup>2</sup> )	45,49	Mounting Offset (mm)	42
	40	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	17,5	Caliper Body	Monobloc
		Pad Family	B18 - B19	Caliper Material	Aluminium
		Disc Thickness (mm)	25,4 - 28 - 30 - 32	Piston Insert	Steel
		Disc Diameter (mm)	300 - 355	Weight (Kg)	2,1
		Mounting Hole Center (mm)	180	Fluid Capacity	57

+++  
+++  
+++  
+++

**1a**

## P/N XB0.L2.11/14 4 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XB0.L2.11	LH XB0.L2.13
RH XB0.L2.12	RH XB0.L2.14



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	32,67	Mounting Offset (mm)	62
	36	Pad Area (cm <sup>2</sup> )	63	Mounting Hole Dia. (mm)	12,23
		Pad Thickness (mm)	26,5	Caliper Body	Monobloc
		Pad Family	B18	Caliper Material	Aluminium
		Disc Thickness (mm)	28 - 32	Piston Insert	-
		Disc Diameter (mm)	332 - 355	Weight (Kg)	2,35
		Mounting Hole Center (mm)	130	Fluid Capacity	58

## P/N XA4.F1.01/02 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA4.F1.01	LH XA4.F1.01
RH XA4.F1.02	RH XA4.F1.02



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	29	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 380	Weight (Kg)	3,1
		Mounting Hole Center (mm)	210	Fluid Capacity	115,4

## P/N XA4.F1.11/12 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA4.F1.11	LH XA4.F1.11
RH XA4.F1.12	RH XA4.F1.12



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	71	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	31,5	Caliper Body	Monobloc
		Pad Family	164C-C	Caliper Material	Aluminium
		Disc Thickness (mm)	37	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 380	Weight (Kg)	3,1
		Mounting Hole Center (mm)	210	Fluid Capacity	120,3

+++  
+++  
+++  
+++



+

+

+

+

## P/N XA4.F1.21/22 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA4.F1.21	LH XA4.F1.21
RH XA4.F1.22	RH XA4.F1.22



1a

### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	29	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 380	Weight (Kg)	3,1
		Mounting Hole Center (mm)	210	Fluid Capacity	115,4

## P/N XA4.F1.31/32 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA4.F1.31	LH XA4.F1.31
RH XA4.F1.32	RH XA4.F1.32



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	71	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	31,5	Caliper Body	Monobloc
		Pad Family	164C-C	Caliper Material	Aluminium
		Disc Thickness (mm)	37	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 380	Weight (Kg)	3,1
		Mounting Hole Center (mm)	210	Fluid Capacity	120,3

## P/N XA5.C2.01/02 6 PISTON CALIPER

Typical application: GT Narrow

### Mounting information

Trailing	Leading
LH XA5.C2.01	LH XA5.C2.01
RH XA5.C2.02	RH XA5.C2.02



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	10,23
	38	Pad Thickness (mm)	22 - 25 C-C	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	25 - 32	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 380		
			355 C-C - 380 C-C	Weight (Kg)	2,57
		Mounting Hole Center (mm)	210	Fluid Capacity	81,07



++  
++  
++  
++

**1a**

## P/N XA5.E5.01/04 6 PISTON CALIPER

Typical application: GP2

### Mounting information

Trailing	Leading
LH XA5.E5.01	LH XA5.E5.03
RH XA5.E5.02	RH XA5.E5.04



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	46,8	Mounting Offset (mm)	51,6
	30	Pad Area (cm <sup>2</sup> )	63	Mounting Hole Dia. (mm)	10,23
	36	Pad Thickness (mm)	23 - 24	Caliper Body	Monobloc
		Pad Family	155C-C	Caliper Material	Aluminium
		Disc Thickness (mm)	26 - 28	Piston Insert	Titanium
		Disc Diameter (mm)	278	Weight (Kg)	1,85
		Mounting Hole Center (mm)	152	Fluid Capacity	77,23

## P/N XA6.61.01/04 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA6.61.01	LH XA6.61.03
RH XA6.61.02	RH XA6.61.04



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	25 - 26,5	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	Steel
		Disc Diameter (mm)	355 - 380	Weight (Kg)	2,98
		Mounting Hole Center (mm)	210	Fluid Capacity	102

## P/N XA6.61.21/24 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA6.61.21	LH XA6.61.23
RH XA6.61.22	RH XA6.61.24



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	25 - 26,5	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	Steel
		Disc Diameter (mm)	355 - 380	Weight (Kg)	2,98
		Mounting Hole Center (mm)	210	Fluid Capacity	102

++  
++  
++  
++



+ + + +

## P/N XA6.H7.01/02

### 6 PISTON CALIPER

**Typical application:** Grand AM



**1a**

#### Mounting information

Trailing	Leading
LH XA6.H7.01	LH XA6.H7.01
RH XA6.H7.02	RH XA6.H7.02

#### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	22	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32	Piston Insert	Steel
		Disc Diameter (mm)	355 - 380	Weight (Kg)	-
		Mounting Hole Center (mm)	210	Fluid Capacity	81,7

## P/N XA8.31.01/02

### 6 PISTON CALIPER

**Typical application:** GT CARBON



#### Mounting information

Trailing	Leading
LH XA8.31.01	LH XA8.31.01
RH XA8.31.02	RH XA8.31.02

#### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	80	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	31,5 C-C	Caliper Body	Monobloc
		Pad Family	-	Caliper Material	Aluminium
		Disc Thickness (mm)	35 C-C	Piston Insert	Titanium
		Disc Diameter (mm)	355 C-C - 390 C-C	Weight (Kg)	2,44
		Mounting Hole Center (mm)	210	Fluid Capacity	121

## P/N XA8.31.11/12

### 6 PISTON CALIPER

**Typical application:** GT



#### Mounting information

Trailing	Leading
LH XA8.31.11	LH XA8.31.11
RH XA8.31.12	RH XA8.31.12

#### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	29	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 390	Weight (Kg)	2,44
		Mounting Hole Center (mm)	210	Fluid Capacity	116



## P/N XA8.31.21/22 6 PISTON CALIPER

Typical application: GT CARBON

### Mounting information

Trailing	Leading
LH XA8.31.21	LH XA8.31.21
RH XA8.31.22	RH XA8.31.22



+++  
+++  
+++  
+++

1a

### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	80	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	31,5 C-C	Caliper Body	Monobloc
		Pad Family	-	Caliper Material	Aluminium
		Disc Thickness (mm)	35 C-C	Piston Insert	Titanium
		Disc Diameter (mm)	355 C-C - 390 C-C	Weight (Kg)	2,5
		Mounting Hole Center (mm)	210	Fluid Capacity	121

## P/N XA8.31.31/32 6 PISTON CALIPER

Typical application: GT

### Mounting information

Trailing	Leading
LH XA8.31.31	LH XA8.31.31
RH XA8.31.32	RH XA8.31.32



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,23
	38	Pad Thickness (mm)	29	Caliper Body	Monobloc
		Pad Family	B24	Caliper Material	Aluminium
		Disc Thickness (mm)	32 - 35	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 390	Weight (Kg)	2,5
		Mounting Hole Center (mm)	210	Fluid Capacity	116

## P/N XA8.J1.01/02 6 PISTON CALIPER

Typical application: GT CARBON

### Mounting information

Trailing	Leading
LH XA8.J1.01	
RH XA8.J1.02	



+++  
+++  
+++  
+++

### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	10,48
	38	Pad Thickness (mm)	26 C-C	Caliper Body	Monobloc
		Pad Family	-	Caliper Material	Aluminium
		Disc Thickness (mm)	32 C-C	Piston Insert	Titanium
		Disc Diameter (mm)	355 C-C - 380 C-C	Weight (Kg)	2,27
		Mounting Hole Center (mm)	210	Fluid Capacity	86

+ + + +

## P/N XA8.J1.11/14 6 PISTON CALIPER

**Typical application:** GT CARBON

### 1a Mounting information

Trailing	Leading
LH XA8.J1.11	LH XA8.J1.13
RH XA8.J1.12	RH XA8.J1.14



### Technical Specifications

Piston Size (mm)	28	Piston Area (cm <sup>2</sup> )	49,13	Mounting Offset (mm)	42
	30	Pad Area (cm <sup>2</sup> )	78,5	Mounting Hole Dia. (mm)	12,45
	38	Pad Thickness (mm)	26 C-C	Caliper Body	Monobloc
		Pad Family	-	Caliper Material	Aluminium
		Disc Thickness (mm)	32 C-C	Piston Insert	Titanium
		Disc Diameter (mm)	355 C-C - 380 C-C	Weight (Kg)	2,27
		Mounting Hole Center (mm)	210	Fluid Capacity	86

## P/N XA8.Z4.01/04 6 PISTON CALIPER

**Typical application:** SINGLE SEAT CAR

### Mounting information

Trailing	Leading
LH XA8.Z4.01	LH XA8.Z4.01
RH XA8.Z4.02	RH XA8.Z4.02



### Technical Specifications

Piston Size (mm)	30	Piston Area (cm <sup>2</sup> )	55,35	Mounting Offset (mm)	41,5
	32	Pad Area (cm <sup>2</sup> )	77	Mounting Hole Dia. (mm)	12,23
	40	Pad Thickness (mm)	18	Caliper Body	Monobloc
		Pad Family	B22	Caliper Material	Aluminium
		Disc Thickness (mm)	28 - 30	Piston Insert	Titanium
		Disc Diameter (mm)	320 - 328	Weight (Kg)	2,7
		Mounting Hole Center (mm)	200	Fluid Capacity	55,6

## P/N X93.41.21/24 8 PISTON CALIPER

**Typical application:** WRC & Touring Car

### Mounting information

Trailing	Leading
LH X93.41.21	LH X93.41.23
RH X93.41.22	RH X93.41.24



### Technical Specifications

Piston Size (mm)	26	Piston Area (cm <sup>2</sup> )	53,4	Mounting Offset (mm)	48
	32	Pad Area (cm <sup>2</sup> )	31,6	Mounting Hole Dia. (mm)	12,23
	26	Pad Thickness (mm)	20	Caliper Body	2 Pieces
	32	Pad Family	tbd	Caliper Material	Aluminium
		Disc Thickness (mm)	32	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 380	Weight (Kg)	2,98
		Mounting Hole Center (mm)	180	Fluid Capacity	82,78

+++  
+++  
+++  
+++

**1a**

## P/N XA5.D6.01/04 8 PISTON CALIPER

Typical application: Rally

### Mounting information

Trailing	Leading
LH XA5.D6.01	LH XA5.D6.03
RH XA5.D6.02	RH XA5.D6.04



### Technical Specifications

Piston Size (mm)	26	Piston Area (cm <sup>2</sup> )	53,4	Mounting Offset (mm)	45
	32	Pad Area (cm <sup>2</sup> )	34,1	Mounting Hole Dia. (mm)	12,23
	26	Pad Thickness (mm)	17,5	Caliper Body	Monobloc
	32	Pad Family	tbd	Caliper Material	Aluminium
		Disc Thickness (mm)	30 - 32	Piston Insert	Titanium
		Disc Diameter (mm)	355 - 370	Weight (Kg)	2,52
		Mounting Hole Center (mm)	180	Fluid Capacity	96,13

## P/N 22.5882.11/21 HANDBRAKE CALIPER

Typical application: Various

### Mounting information

Trailing	Leading
LH 22.5882.11	LH 22.5882.11
RH 22.5882.12	RH 22.5882.12



### Technical Specifications

Piston Size (mm)	36	Piston Area (cm <sup>2</sup> )	20,35	Mounting Offset (mm)	28,5 - 31,5
		Pad Area (cm <sup>2</sup> )	26	Mounting Hole Dia. (mm)	M10x1.25 M8x1.25
		Pad Thickness (mm)	10	Caliper Body	2 Pieces
		Pad Family	-	Caliper Material	Aluminium
		Disc Thickness (mm)	26 - 32	Piston Insert	-
		Disc Diameter (mm)	335 -355	Weight (Kg)	1,7
		Mounting Hole Center (mm)	92 Axial	Fluid Capacity	20,35

+++  
+++  
+++  
+++





# Calipers drawings



+

+

+

+


## P/N XA6.L6.11/14

### 2 PISTON CALIPER

1b

Ø DISC	A	B	C	D	E
316	178,4	159,5	108,6	104	-

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
316	134	20	48,5	44	14,6




## P/N XA8.U2.01

### 2 PISTON CALIPER

Ø DISC	A	B	C	D	E
278	162,8	137,6	95,5	-	-

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
278	116,3	6,4	47	39	15




## P/N XA2.E7.01/04

### 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
355	202	179	124	123	121,6
332	191	170	168	112,5	111,5

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355 - 332	151,7 - 140	32	53	59	26,5
355 - 332	151,7 - 140	35	53	59	25



+

+

+

+



+

+

+

+

+

+

+


+

**1b**

## P/N XA2.E7.11/14 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
355	202	179	124	123	121,6
332	191	170	168	112,5	111,5


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355 - 332	151,7 - 140	32	53	59	26,5
355 - 332	151,7 - 140	35	53	59	25



## P/N XA3.G2.11/14 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
313	178,5	157,5	154,3	113	111,8
278	161	140	136,8	95,5	94,3


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
313	135,5	24 - 25,4	45	43	20
278	118,4	24 - 25,4	45	43	20



## P/N XA4.10.01/04 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
278	156	143	140	96,35	95

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
278	120,4	16	40	39	16



+

+

+

+


**P/N XA5.T0.01/04**

## 4 PISTON CALIPER

**1b**

Ø DISC	A	B	C	D	E
355	196	189,5	179,5	176,1	143,1
300	176,6	163,3	152	150,7	118,1

Ø DISC	R	TH	W	H	TH
DISC	(disc)	(pad)	(disc)	(pad)	PAD
355	151,2	28 - 30 - 32	64	60	17,5
300	124,5	28 - 30 - 32	52,5	48	17,5




**P/N XA6.H7.11/14**

## 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
355	202	179	124,5	123	121,6
332	191	168	112,5	111,5	109,6

Ø DISC	R	TH	W	H	TH
DISC	(disc)	(pad)	(disc)	(pad)	PAD
355	151,7	32	53	50	22
332	140	32	53	50	22




**P/N XA6.S0.01/04**

## 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
278	156,6	145,5	141	96,1	92,4

Ø DISC	R	TH	W	H	TH
DISC	(disc)	(pad)	(disc)	(pad)	PAD
278	120,4	18	39	37	16



+

+

+

+




+	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+

**P/N XA6.S0.21/24  
4 PISTON  
CALIPER**

Ø DISC	A	B	C	D	E
278	156,6	145,5	141	96,1	92,4


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
278	120,4	18	39	37	16



**P/N XA7.G0.11/12  
4 PISTON  
CALIPER**

Ø DISC	A	B	C	D	E
295	167,5	159,6	154,6	149	146,9


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
295	126,7	24 - 25,4	45	43	20



**P/N XA7.G1.53/54  
4 PISTON  
CALIPER**

Ø DISC	A	B	C	D	E
313	174,6	158,5	150,9	136,6	111,8
278	157,1	141	133,4	119,1	94,3

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
313	135	24 - 25,4	45	43	20
278	117,9	24 - 25,4	45	43	20



+

+

+

+

+


**P/N XA8.30.11/14**

## 4 PISTON CALIPER

**1b**

Ø DISC	A	B	C	D	E
355	199	177,1	127,2	125,9	122,9
332	187,5	165,6	115,7	114,4	111,4

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355	151,2	28 - 32	53	53	26,5
332	140	28 - 32	53	53	26,5



+

+

+

+


+

**P/N XA8.30.51/54**

## 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
355	199	177,1	127,2	125,9	122,9
332	187,5	165,6	115,7	114,4	111,4

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355	151,2	28 - 32	53	53	26,5
332	140	28 - 32	53	53	26,5



+

+

+

+


+

**P/N XA9.Y6.53/54**

## 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
355	n.a.	n.a.	n.a.	n.a.	n.a.
300	n.a.	n.a.	n.a.	n.a.	n.a.

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355 - 300	152,5 - 126	25,4	52,5	47,7	17,5
355 - 300	152,5 - 126	28	52,5	47,7	17,5
355 - 300	152,5 - 126	30	52,5	47,7	17,5
355 - 300	152,5 - 126	32	52,5	47,7	17,5



+

+

+

+

+



+

+

+

+

+

+

+


+

**1b**

## P/N XB0.L2.11/14 4 PISTON CALIPER

Ø DISC	A	B	C	D	E
355	n.a	n.a	n.a	n.a	n.a
332	n.a	n.a	n.a	n.a	n.a


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355	151,2	28 - 32	53	49	26,5
332	140	28 - 32	53	49	26,5



## P/N XA4.F1.01/02 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	211,25	192	149,8	136,5	133,3
355	203,1	178,5	137,3	124	122,5


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	32 - 35	52,5	52	29
355	152,5	32 - 35	52,5	52	29



## P/N XA4.F1.11/12 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	211,25	192	149,8	136,5	133,3
355	203,1	178,5	137,3	124	122,5

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	37	48 - 52,5	52	31,5
355	152,5	37	48 - 52,5	52	31,5



+

+

+

+


## P/N XA4.F1.21/22

### 6 PISTON CALIPER

1b

Ø DISC	A	B	C	D	E
380	211,25	192	149,8	136,5	133,3
355	203,1	178,5	137,3	124	122,5

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	32 - 35	52,5	52	29
355	152,5	32 - 35	52,5	52	29




## P/N XA4.F1.31/32

### 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	211,25	192	149,8	136,5	133,3
355	203,1	178,5	137,3	124	122,5

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	37	48 - 52,5	52	31,5
355	152,5	37	48 - 52,5	52	31,5




## P/N XA5.C2.01/02

### 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	213	192,3	136,5	134,9	132,6
355	198,5	177	120	119	116

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	25 - 32	52,5	52	22
355	152,5	25 - 32	52,5	52	22
380 C-C	164,5	25 - 32	52,5	52	25
355 C-C	152,5	25 - 32	52,5	52	25



+

+

+

+

+

+

+


+

**1b**

## P/N XA5.E5.01/04 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
278	156	154,5	140	139	94


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
278	117	26	44	44	24
278	117	28	44	44	23



## P/N XA6.61.01/04 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	212	189,4	136,5	132,6	-
355	199,5	176,9	124	120,1	-


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	32 - 35	52,5	52	26,5 - 25
355	152,5	32 - 35	52,5	52	26,5 - 25



## P/N XA6.61.21/24 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	212	189,4	136,5	132,6	-
355	199,5	176,9	124	120,1	-

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	32 - 35	52,5	52	26,5 - 25
355	152,5	32 - 35	52,5	52	26,5 - 25




+ + + + P/N XA6.H7.01/02

## 6 PISTON CALIPER

**1b**

Ø DISC	A	B	C	D	E
380	213	192,3	136,5	134,9	132,6
355	198,5	177	120	119	116


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	164,5	32	52,5	52	22
355	152,5	32	52,5	52	22



## P/N XA8.31.01/02 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
390 C-C	221,25	202,7	194,7	183,2	182
355 C-C	198,75	182,2	170,7	169,5	157,4


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
390 C-C	169,5	35	52,5	52	31,5
355 C-C	152,5	35	52,5	52	31,5



## P/N XA8.31.11/12 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
390	221,25	202,7	194,7	183,2	182
355	198,75	182,2	170,7	169,5	157,4

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
390	169,5	32 - 35	52,5	52	29
355	152,5	32 - 35	52,5	52	29



+

+

+

+

+

+

+


+

**1b**

## P/N XA8.31.21/22 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
390 C-C	221,25	202,7	194,7	183,2	182
355 C-C	198,75	182,2	170,7	169,5	157,4


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
390 C-C	169,5	35	52,5	52	31,5
355 C-C	152,5	35	52,5	52	31,5



## P/N XA8.31.31/32 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
390	221,25	202,7	194,7	183,2	182
355	198,75	182,2	170,7	169,5	157,4


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
390	169,5	32-35	52,5	52	29
355	152,5	32-35	52,5	52	29



## P/N XA8.J1.01/02 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
380 C-C	211,5	180,7	138,5	135	-
355 C-C	199	168,2	126	122,5	-

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380 C-C	164,5	32	52,5	52	26
355 C-C	152,5	32	52,5	52	26



+

+

+

+

+

+

+



+

+

+

+

+

+


+

## P/N XA8.J1.11/14 6 PISTON CALIPER

**1b**

Ø DISC	A	B	C	D	E
380 C-C	211,5	180,7	138,5	135	-
355 C-C	199	168,2	126	122,5	-


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380 C-C	164,5	32	52,5	52	26
355 C-C	152,5	32	52,5	52	26



## P/N XA8.Z4.01/04 6 PISTON CALIPER

Ø DISC	A	B	C	D	E
328	n.a.	n.a.	n.a.	n.a.	n.a.
320	n.a.	n.a.	n.a.	n.a.	n.a.


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
328	137,75	28 - 30	52,5	50	18
320	133,75	28 - 30	52,5	50	18



## P/N X93.41.21/24 8 PISTON CALIPER

Ø DISC	A	B	C	D	E
380	211	187	140	-	-
355	198,5	174,5	127,5	-	-

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
380	167,6	32	47,5	45	20
355	155,5	32	47,5	45	20



+

+

+

+

+

+

+

+

+

+

+

+

+

+


+

**1b**

## P/N XA5.D6.01/04 8 PISTON CALIPER

Ø DISC	A	B	C	D	E
370	207,5	191,3	187	184,5	176,2
355	200	183,8	179,5	177	168,7


Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
370	162,4	30 - 32	52,5	50	17,5
355	155	30 - 32	52,5	50	17,5



## P/N 22.5882.11/21 HANDBRAKE CALIPER

Ø DISC	A	B	C	D	E
355	201	178,5	159,7	138,4	135
335	191	168,5	149,7	128,4	125

Ø DISC	R	TH DISC	W (disc)	H (pad)	TH PAD
355	156	26 - 32	40	38,5	10
335	146	26 - 32	40	38,5	10



+

+

+

+

+

+

+

